

GROUT SEALER

DESCRIPTION:

AQUA MIX GROUT SEALER is a water-based sealer that resists water, oil, and acid-based contaminants. Simplifies maintenance and does not change the appearance of the grout. Allows moisture vapor transmission.

USES:

Recommended for use on:

- Cementitious sanded and unsanded porous grout joints for ceramic tile installations.
- Effective for interior and exterior applications.

COVERAGE:

Approximately 400 to 1,200 sq. ft. (37 m² to 112 m²) per coat per gallon (3.785 L), depending on size and porosity of grout joint, temperature, humidity, and method of application.

EXPECTED WEAR:

- Will vary depending on hardness and texture of surface, type of area, surface wear, frequency, and type of maintenance products used.
- The expected wear is **up to 5 years**.
- Weather conditions, harsh cleaning methods, and high-alkaline, acidic, or solvent-based cleaners will affect wear.

TEST A SMALL AREA:

According to application instructions with a 24-hour cure time to determine desired results. Test for stain repellency using likely contaminants.

APPLICATION:

- 1.) **Read entire label before using.**
- 2.) For new installations, sealer can be applied as soon as 48 hours after grouting.
- 3.) Grout joints must be clean, dry, and free of existing sealers or coatings.
- 4.) Apply using a soft-bristle paintbrush or sponge paint applicator. **NOTE: Be sure any sealer that does not penetrate surface is removed from surface within 5 minutes of application using absorbent paper or cotton towels.**
- 5.) If 2 or more coats are applied, allow a minimum of 30 minutes drying time between coats.
- 6.) After 2 hours conduct a test to determine if surface is completely sealed by applying water droplets to the surface. If water is absorbed, apply an additional coat. Wait 2 hours and repeat the test.
- 7.) Ready for surface traffic in 2 hours after final coat. Keep area dry for 12 hours. Achieves a full cure in 24 hours.
- 8.) Clean applicator tools with water after each use.
- 9.) May be reapplied as needed to grout joints that are clean.

MAINTENANCE:

- Aqua Mix Cleaning Wipes with Sealer's Choice™,
- Concentrated Stone & Tile Cleaner, or
- Tile Plus More Antibacterial Cleaner are recommended for routine cleaning.

TECHNICAL ASSISTANCE:

Call 877-278-2311, Monday through Friday, 6:00 a.m. to 4:30 p.m. or Saturday, 7:00 a.m. to 12:00 p.m. Pacific Time.

LIMITATIONS:

- Do not allow sealer to dry on tile surface because a residue will be visible.
- If this occurs, use Aqua Mix Poultice Stain Remover mixed with water into a wet slurry and scrub with a nylon pad.
- Do not allow sealer to come in contact with any non-recommended surface.
- Sealers will not prevent surface wear or etching from acids or caustic chemicals.

HANDLING AND STORAGE:

- Close container after each use.
- Store in original container only.
- Store and use between temperatures of 50 °F and 80 °F (10 °C and 27 °C).
- **Protect unused, stored product from freezing.**

CAUTION:

- **KEEP OUT OF REACH OF CHILDREN.**
- Contains siliconates.
- Do not take internally.
- **Rubber gloves and eye protection should be worn during application.**
- **IF INGESTED:** Do not induce vomiting. Drink 1 to 2 glasses of water.
- **EYE CONTACT:** Flush thoroughly with water. Seek immediate medical attention.
- **SKIN CONTACT:** Flush with water.

WARRANTY:

SATISFACTION GUARANTEED. If not completely satisfied with this product's performance, **when used as directed**, contact Aqua Mix for exclusive remedy of either refund of purchase price or replacement of product upon return of unused portion with proof of purchase within one year of purchase. Determining suitability of product for any intended purpose shall be solely the responsibility of the user. **THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE, WHICH EXTEND BEYOND THE DESCRIPTION ON THIS LABEL. IN NO EVENT SHALL AQUA MIX BE LIABLE TO THE CUSTOMER OR ANYONE ELSE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, HOWEVER OCCASIONED. ALWAYS TEST FIRST.**